

# ARHGDIB Mouse mAb[21BR]

Cat NO. :A13946

### Information:

| Applications  | Reactivity: | UniProt ID: | MW(kDa) | Host  | Isotype | Size             |
|---------------|-------------|-------------|---------|-------|---------|------------------|
| WB,IHC,ICC/IF | H,M,R       | P52566      | 27kDa   | Mouse | IgG     | 50ul 100ul,200ul |

Applications detail:

| Application  | Dilution    |  |  |  |
|--|-------------|--|--|--|
| WB   | 1:1000-2000 |  |  |  |
| IHC  | 1:100       |  |  |  |
| ICC/IF   | 1:100       |  |  |  |
| The optimal dilutions should be determined by the end user |             |  |  |  |

Conjugate:

UnConjugate

Form:

Liquid

sensitivity:

Endogenous

Purification:

Protein A purification

Specificity:

Antibody is produced by immunizing animals with a synthetic peptide of human ARHGDIB.

#### Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol (buffer) .

Shipped at 4°C. Store at-20°C or -80°C.

 $\label{products} \textbf{Products are valid for one natural year of receipt.} \textbf{Avoid repeated freeze} \ \textit{I} \ \textbf{thaw cycles}.$ 

### Tissue specificity:

Detected in bone marrow, thymus and spleen..

## Subcellular location:

Cytoplasm, cytosol.

#### Function:

Regulates the GDP/GTP exchange reaction of the Rho proteins by inhibiting the dissociation of GDP from them, and the subsequent binding of GTP to them (PubMed:8356058, PubMed:7512369). Regulates reorganization of the actin cytoskeleton mediated by Rho family members (PubMed:8262133)..


Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/
Immunofluorescence F: Flow Cytometry

Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus MI: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse



## **Validation Data:**

## ARHGDIB Mouse mAb[21BR] Images



Western blot (SDS PAGE) analysis of extracts from THP-1 cells.Using ARHGDIB Mouse mAb IgG [21BR] at dilution of 1:1000 incubated at  $4\,^\circ\mathrm{C}$  over night.

View more information on http://naturebios.com