

BID Rabbit pAb

Cat NO. :A28961

Information:

Applications	Reactivity:	UniProt ID:	MW(kDa)	Host	Isotype	Size
WB	М	P55957	22 kDa	Rabbit	IgG	100ul,200ul

Applications detail:

Application

WB

1:1000-2000

The optimal dilutions should be determined by the end user

Conjugate:

UnConjugate

Form:

Liquid

sensitivity:

Endogenous

Purification:

peptide affinity chromatography

Specificity:

Antibody is produced by immunizing animals with a synthetic peptide at the sequence of Mouse BID

Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol (buffer) .

Shipped at 4°C. Store at-20°C or -80°C.

 $\label{products} \textbf{Products are valid for one natural year of receipt.} \textbf{Avoid repeated freeze} \ \textit{I} \ \textbf{thaw cycles}.$

Tissue specificity:

[Isoform 2]: Expressed in spleen, pancreas and placenta (at protein level)...,[Isoform 3]: Expressed in lung, pancreas and spleen (at protein level)...,[Isoform 4]: Expressed in lung and pancreas (at

Subcellular location:

Cytoplasm. Mitochondrion membrane. Mitochondrion outer membrane.

Function:

Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/
Immunofluorescence F: Flow Cytometry


Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus MI: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse



Induces caspases and apoptosis (PubMed:14583606). Counters the protective effect of BCL2 (By similarity).., [BH3-interacting domain death agonist p15]: Induces caspase activation and apoptosis (PubMed:15661737, PubMed:32029622). Allows the release of cytochrome c (PubMed:32029622).., [Isoform 1]: Induces ICE-like proteases and apoptosis.., [Isoform 2]: Induces ICE-like proteases and apoptosis.., [Isoform 4]: Induces ICE-like proteases and apoptosis...

Validation Data:

BID Rabbit pAb Images



View more information on http://naturebios.com