# TXNDC13/TMX4 Rabbit mAb [0630]

Cat NO. :A60037

## Information:

Applications	Reactivity:	UniProt ID:	MW(kDa)	Host	Isotype	Size
WB,ICC/IF	н	Q9H1E5	45 kda	Rabbit	lgG	100ul,200ul

#### **Applications detail:**

Application	Dilution		
WB	1:1000-2000		
ICC/IF	1:100,		
The optimal dilutions should be determined by the end user			

#### Conjugate:

UnConjugate

Form:

Liquid

sensitivity:

Endogenous

### **Purification**:

Protein A purification

#### Specificity:

Antibody is produced by immunizing animals with a synthetic peptide of Human TXNDC13/TMX4.

#### Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol  $\ (buffer) \ .$ 

Shipped at 4°C. Store at-20°C or -80°C.

Products are valid for one natural year of receipt. Avoid repeated freeze / thaw cycles.

Tissue specificity:

# Subcellular location:

Nucleus inner membrane,Single-pass type I membrane protein.

**Function**:


Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/ Immunofluorescence F: Flow Cytometry

Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus MI: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse

For Research Use Only. Not For Use In Diagnostic Procedures.

# Validation Data:

## TXNDC13/TMX4 Rabbit mAb [0630] Images



Western blot (SDS PAGE) analysis of extracts from A375 cells lyastes.using TXNDC13/TMX4 Rabbit mAb [0630] at dilution of 1:1000 incubated at  $4^{\circ}$ C over night

View more information on http://naturebios.com

IMPORTANT: For western blots, incubate membrane with diluted primary antibody in 1% w/v Milk, 1X TBST at 4°C overnight.